



INSTITUT ZA PREVENTIVU

ZAŠTITU NA RADU, PROTIVPOŽARNU ZAŠTITU I RAZVOJ D.O.O.

21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571, 420-572, 420-573

www.izp.rs

institut@izp.rs

ID: 1956-2/2017

Datum: 02.06.2017.

FABRIKA RAZVODNIH ORMANA
"EVROTEHNA" D.O.O.
KONAREVO - KRALJEVO
Br. 11-1219/2017
KONAREVO 14.06.2017 god.

Zahtev:

Zvanični

Vrsta ispitivanja:

Ispitivanje mehaničke zaštite (IP kod) i
ispitivanje na mehanički udar (IK kod)

Predmet ispitivanja :

Rek ormani

Datum ispitivanja :

02.06.2017.




EVROTEHNA DOO KRALJEVO

Konarevo 105b

Konarevo



IZVEŠTAJ O ISPITIVANJU



21 000 Novi Sad, Kraljevića Marka 11, Tel/Fax: 021/420-571; 420-572; 420-573

PJ Beograd Bulevar Mihajla Pupina 10Ž ☎ 011/2134-266

PJ Bačka Palanka, Žarka Zrenjanina 76

Poslovni računi: 310-96-22 NLB banka Beograd A.D.

285-221100000417-90 SBERBBANK Srbija a.d. Beograd

180-3001210016775-62 ALPHA BANK a.d. Beograd

Registarski broj: 8227178558

Matični broj: 08187533

Šifra delatnosti: 7120

PIB: 100720850

**19" RNV REK ORMANI**

Oznaka ormara (perforirana vrata)	Dimenzije
RNV 6U/45V	370 x 600 x 450
RNV 6U/50V	370 x 600 x 500
RNV 6U/60V	370 x 600 x 600
RNV 9U/45V	500 x 600 x 450
RNV 9U/50V	500 x 600 x 500
RNV 9U/60V	500 x 600 x 600
RNV 12U/45V	630 x 600 x 450
RNV 12U/50V	630 x 600 x 500
RNV 12U/60V	630 x 600 x 600
RNV 15U/45V	760 x 600 x 450
RNV 15U/50V	760 x 600 x 500
RNV 15U/60V	760 x 600 x 600
RNV 18U/45V	890 x 600 x 450
RNV 18U/50V	890 x 600 x 500
RNV 18U/60V	890 x 600 x 600
RNV 21U/45V	1020 x 600 x 450
RNV 21U/50V	1020 x 600 x 500
RNV 21U/60V	1020 x 600 x 600
RNV 24U/45V	1150 x 600 x 450
RNV 24U/50V	1150 x 600 x 500
RNV 24U/60V	1150 x 600 x 600

19" RKL REK ORMANI

Oznaka ormara (perforirana vrata)	Dimenzije
RKL 6U/45V	370 x 600 x 450
RKL 6U/50V	370 x 600 x 500
RKL 6U/60V	370 x 600 x 600
RKL 9U/45V	500 x 600 x 450
RKL 9U/50V	500 x 600 x 500
RKL 9U/60V	500 x 600 x 600
RKL 12U/45V	630 x 600 x 450
RKL 12U/50V	630 x 600 x 500
RKL 12U/60V	630 x 600 x 600
RKL 15U/45V	760 x 600 x 450
RKL 15U/50V	760 x 600 x 500
RKL 15U/60V	760 x 600 x 600
RKL 18U/45V	890 x 600 x 450
RKL 18U/50V	890 x 600 x 500
RKL 18U/60V	890 x 600 x 600

